



## SMART HOME AUTOMATION



### INTEB ENERGY & ENVIRONMENT SOLUTIONS PVT LTD

414, Lotus House, 33-A, V.Thakersey Marg, New Marine Lines, Mumbai 400020, India.

E: support@inteb360.com | T : +91 22 35114465 | M: +91 9867625686 | https://www.unisersolar.com/picostone-smart-space




[Facebook](#)





[Twitter](#)





[LinkedIn](#)

[Instagram](#)

[YouTube](#)

Sr. No.	Product	Reference Image	Product Code	Technical Description	MRP (INR)
1	<b>Picostone BASIC</b>		UNPS-AUT-BASIC	Dimming, Wi-Fi Controller Number of Switches controlled : 4 Input Voltage : 230V/50Hz Output Voltage : 230V/50Hz Power Consumption : 1W Input Voltage for Switches : 230V/50Hz Communication Security : 256-bit AES Encryption Connectivity : 802.11.b/g/n WiFi Minimum Power per Channel : 5W (Resistive Load) Maximum Power per Channel : 220W (Resistive Load)	Rs. 11,800.00
2	<b>Picostone POLAR with One IR Stone</b>		UNPS-AUT-POLAR	<b>Polar -</b> Input Voltage: 230V/50Hz Output Voltage: 230V/50Hz Power Consumption: 1W Communication Security: 256-bit AES encryption Connectivity: 802.11.b/g/n WiFi & 2.4GHz RF Dimensions: 50mmX50mmX35mm <b>IR Stone -</b> Connectivity: 2.4GHz RF Dimensions: 40mmX40mmX18mm Battery operated - 3V Coin Cell-2032	Rs. 4,000.00
3	<b>IR Stone</b>		UNPS-AUT-IR	Connectivity: 2.4GHz RF Dimensions: 40mmX40mmX18mm Battery operated - 3V Coin Cell-2032	Rs. 1,500.00

4	Curtain Control		UNPS-AUT-CURCON	<p>Input Voltage: 230V/50Hz  Output Voltage: 230V/50Hz  Power Consumption: 1W  Input Voltage for Switches: 230V/50Hz  Communication Security: 256-bit AES encryption  Connectivity: 802.11.b/g/n WiFi  Min Power per Channel: 0W (Resistive and Inductive Load)  Max Power per Channel: 1100W (Resistive Load)  Dimensions: 8.7cmX5.7cmX2.2cm  Supports Potential free and at AC and DC upto 5A</p>	Rs. 8,000.00
5	Picostone Lite		UNPS-Picostone-Lite	<p>Non Dimmable, Wi-Fi Controller  Number of Switches controlled : 4  Input Voltage : 230V/50Hz  Output Voltage : 230V/50Hz  Power Consumption : 1W  Input Voltage for Switches : 230V/50Hz  Communication Security : 256-bit AES Encryption  Connectivity : 802.11.b/g/n WiFi  Minimum Power per Channel : 5W (Resistive Load)  Maximum Power per Channel : 220W (Resistive Load)</p>	Rs. 7,000.00
6	Polar - with wired node		UNPS-AUT-POLAR	<p>Polar -  Input Voltage: 230V/50Hz  Output Voltage: 230V/50Hz  Power Consumption: 1W  Communication Security: 256-bit AES encryption  Connectivity: 802.11.b/g/n WiFi &amp; 2.4GHz RF  Dimensions: 50mmX50mmX35mm</p> <p>IR Stone -  Connectivity: 2.4GHz RF  Dimensions: 40mmX40mmX18mm  Wired Connection required</p>	Rs. 4,500.00
7	Wired Node		UNPS-AUT-IR	<p>Connectivity: 2.4GHz RF  Dimensions: 40mmX40mmX18mm  Wired Connection Required</p>	Rs. 1,800.00

8	<b>Basic 2ch</b>		UNPS-AUT-Basic-Mini	Dimming, Wi-Fi Controller 2 channel controller Number of Switches controlled : 2 Input Voltage : 230V/50Hz Output Voltage : 230V/50Hz Power Consumption : 1W Input Voltage for Switches : 230V/50Hz Communication Security : 256-bit AES Encryption Connectivity : 802.11.b/g/n WiFi Minimum Power per Channel : 5W (Resistive Load) Maximum Power per Channel : 220W (Resistive Load)	Rs. 6,500.00
9	<b>Analog dimming wifi Controller</b>		UNPS-Analog-Controller	Basic 2 channel analog controller	Rs. 8,000.00
10	<b>Picostone Mobile App</b>		App Name: PICOSTONE (Android) PICOSTONE BUTLER (iOS)	Available on Google Play and Apple App Store	FREE
11	<b>Picostone Installation &amp; Setup</b>		UNPS-INSTALLATION	Installation and Configuration per device of any type. (Mumbai Circle Only) For Other locations, Please contact us for rates.	Rs. 700.00

**Please Note**

1) GST is 18%

2) Above prices are ex-works Mumbai, India

3) MOQ of 50 pcs per order per model.

4) Installation & Training Costs will be levied depending upon size and location of the project.