

now available in 



U-SEE

SMART VIDEO DOOR BELL V5

U-SEE

SMART VIDEO DOOR BELL V5

In the times like now, where our lifestyle is leaping towards a digital transformation, Smart Door Bell becomes an extension to your secured living.

Being a highly secured device, it is as easy to install as a photo-frame. With array of features, you can rely on its technology to keep you aware and enjoy peace-of-mind, where ever you may be. This is Best-in-value, Wire-less, Smart Door Bell available today.



FEATURES



720p HD Video



Two-way Audio



2.4GHz Wi-Fi Compatible



Night Vision



Easy Installation



Real-Time Video



Notification Push to Mobile Device



166° Wide-angle Camera Lens



PIR Motion Detection



Low Power Consumption



Battery powered



EASY TO INSTALL
Takes few minutes to install



Access from your Mobile App



Clear vision Day or Night



Motion Detection for higher security



Chime available

TECHNICAL SPECIFICATION	
Solution:	OV9732 + Hi3518E
Resolution:	720P (1280×720px)
Field of View:	166° Wide Angle
Night Vision:	6 IR LEDs, 5m (16ft) Night Vision
Video Quality:	HD 720P @ 25FPS
Scene Option:	BLC, IR, HLC, Motion Compensation, WDR
Motion Sensor:	Smart PIR Sensor (Sensitivity Editable)
Video Coding:	720P/24fps+VGA/30fps+QVGA/30fps+720P @ 1fsJPEG snap
D/N Mode:	Auto switch by Light Sensor
Pickup Device:	Internal Microphone
Pickup Range	1-1.5 meters
Audio Output:	Speaker
Type:	2-way Audio with Noise Cancellation
Network:	2.4GHz WiFi (IEEE 802.11 b/g/n)
OS Require:	iOS (v7.0 or newer) or Android (v4.0 or newer)
Memory Device:	8GB Class10 High-speed TF-card Preinstalled
Storage Capacity:	Max Support 32GB TF-card
Red LED Blink:	Power OK, Waiting for Wi-Fi Connection
Blue & Red Blink:	Wi-Fi Setting Succeed, Waiting for APP Connection
Blue LED Blink:	Power & Network OK, Device in Working Status
LED OFF:	No Power / Stand By Mode
Power Type:	Rechargeable 18650 Battery or Hardwire AC 8V-24V
Consumption:	Working mode: 170mA Standby Mode: 200µA
Interphone	Two - way voice - speak
IR control	IR opens night vision, automatic detection of infrared and ICR ; IR shuts the night vision function off the infrared and the ICR is fixed in daily viewing mode
Dimensions:	L75mm x W15mm x H143mm
Packing Size:	L190mm x W105mm x H40mm
Weight:	600g
Working temperature:	-20°C to 55°C
Relative humidity:	85% non-condensing



U-SEE

SMART VIDEO DOOR BELL V5

U-SEE

SMART VIDEO DOOR BELL V5

Use at home, office, farmhouse, hotel
Just anywhere!

for live demo, call/email us to guide you
to the nearest experience zone

* GST applicable at 18%. Delivery charges will be extra as per actuals.





PROMOTED, FULFILLED & SERVICED BY

UNISER
INDUSTRIES PVT. LTD.

414, Lotus House, 33-A, V Thackersey Marg,
New Marine Lines, Mumbai 400020, India

Phone : +91-22-22000515 | +91-9867625686

Email : support@unisersolar.com | support@uniserledlights.com

Web : www.unisersolar.com | www.uniserledlights.com