



UNISER

INDUSTRIES PVT. LTD.

RECESSED LIGHTS SERIES



**PRODUCT OVERVIEW TECHNICAL DOCUMENT
EDITION APRIL 2020**

UNISER

Recessed Series

POWERED BY CREE

DRIVEN BY EAGLERISE

UV electroplate



Champagne gold



Bright silver



Gun Black



7W



Ø55mm



12W



Ø75mm



18W



Ø95mm

Model	Wattage	CCT	Beam Angle	Reflector	Lumens	Body Color	Material
UHLS-07-1047	7W	3000K/4000K/6000K	38°	ROSEGOLD/ SILVER/ GUN METAL	770LM	BK/WH	ALUMINIUM
UHLS-12-1047	12W	3000K/4000K/6000K	38°	ROSEGOLD/ SILVER/ GUN METAL	1320M	BK/WH	ALUMINIUM
UHLS-18-1047	18W	3000K/4000K/6000K	38°	ROSEGOLD/ SILVER/ GUN METAL	1980M	BK/WH	ALUMINIUM

UNISER

Recessed Series

POWERED BY CREE

DRIVEN BY EAGLERISE

UV electroplate




Champagne gold




Bright silver



Gun Black



H:92mm



100mm



Model	Wattage	CCT	Beam Angle	Reflector	Lumens	Body Color	Material
UHLS-12-1048	12W	3000K/4000K/6000K	38°	ROSEGOLD/ SILVER/ GUN METAL	1320LM	BK/WH	ALUMINIUM

UNISER

Recessed Series

POWERED BY CREE

DRIVEN BY EAGLERISE




Model	Wattage	CCT	Beam Angle	Reflector	Lumens	Body Color	Material
UHLS-24-1048	24W	3000K/4000K/6000K	38°	ROSEGOLD/ SILVER/ GUN METAL	2640LM	BK/WH	ALUMINIUM

UNISER

Recessed Series

POWERED BY BRIDGELUX.



CUT OUT 32mm

Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-03-414 CDCOB	3W	3K/4K/6K	-40	BK/WH

Recessed Series

UNISER

POWERED BY **CREE** | DRIVEN BY **DONE**



Model	Wattage	CCT	Body Colour	Dimensions
UHLS-04 DEEP COB	4W	3K/4K/5K	BK/PKW	35 MM OUTER 27 MM CUTOUT 45 MM HEIGHT

COB Series

UNISER

POWERED BY CREE

DRIVEN BY EAGLERISE



Model	Power	CCT	Beam Angle	Cut Size	Body Size
UHLS-07 CD COB C+E	7W	3K/4K/6K	40°	54mm	61mm(h) 60mm(dia)

UNISER

POWERED BY BRIDGELUX

COB Series




Model	Power	PF	CCT	Beam Angle	Cut Size	Body Size
UHLS-07 786 CD COB	7WATTS	>0.9	3K/4K/6K	40°	75mm	105mm(h) 80mm(dia)

UNISER

Recessed Series

POWERED BY CREE



Model	Wattage	CCT	Body Colour	Degree	PF
UHLS-14CDCOB-09	9W	3K/4K/6K	WH/BK	40°	>0.9

UNISER


Recessed Series

POWERED BY **CREE** 

DRIVEN BY  **EAGLE RISE**



Cut out: $\Phi 48\text{mm}$




Model	Wattage	CCT	IP Rating	Body Colour	Degree	CRI
UHLS-09-0910 CDCOB	9W	3K/4K/5K	IP54	BK/WH	-38°	Ra>80

Recessed Series

UNISER

POWERED BY **CREE** | DRIVEN BY **EAGLE RISE**




Model	Wattage	CRI	Body Colour	CCT	Beam Angle
UHLS-10 0121 CD COB	-10W	>80	BK/PKW	3K/4K/5K	-45°

UNISER

Recessed
Series

POWERED BY CREE



Model	Power	CCT	PF	Body Colour
-------	-------	-----	----	-------------

UHLS-10W DARK LIGHT -10W

3K/4K/6K

>0.95


BK/WH

-10W | 46mm

COB Series

UNISER

POWERED BY CREE




Model	Wattage	CCT	Beam Angle	CRI	Body Colour
UHLS-14 CD COB-04	14W	3K/4K/6K	38°	90	BK/PKW

COB Series

UNISER

POWERED BY CREE




Model	Wattage	CCT	Beam Angle	CRI	Body Colour
UHLS-14 CD COB-05	14W	3K/4K/6K	38°	90	BK/PKW

Recessed Series

UNISER

POWERED BY CREE



Model	Wattage	CCT	Body Colour	Degree	Flux	CRI
UHLS-14CDCOB-08	14W	3K/4K/6K	BK/PKW	40	1000LM	80

UNISER

Recessed Series

POWERED BY CREE

DRIVEN BY EAGLERISE




Model	Wattage	CCT	Body Colour	Degree	CRI	Size
UHLS-14CDCOB-0208	14W	3K/4K/6K	BK/PKW	38°	80	OUTER : 90MM H : 102MM CUTOUT : 82MM

UNISER

POWERED BY CREE ⇄

Recessed Series




Model	Power	CCT	PF	Body Colour
UHLS-16CDCOB-474	016W	WW, DW, CW	> 0.9	WHITE, BLACK

Recessed Series

UNISER

POWERED BY CREE





Model	Wattage	CCT	Body Colour	Degree	Flux	CRI
HL-14CDCOB-10	14W	3K/4K/6K	BK/PKW	40	1000LM	80

Recessed Series

UNISER

POWERED BY BRIDGELUX | DRIVEN BY **DONE**





Model	Wattage	Body Colour	CCT	Flux	CRI	Beam Angle
UHLS-07CDCOB-06	7W	BK/PKW	3K/4K/6K	560LM	80	38
UHLS-14CDCOB-06	14W	BK/PKW	3K/4K/6K	1000LM	80	38

Recessed Series

UNISER

POWERED BY **CREE** | DRIVEN BY **DONE**





Model	Wattage	Body Colour	CCT	Flux	CRI	Beam Angle
UHLS-7 DELTA	7W	BK/PKW	3K/4K/6K	500LM	80	40
UHLS-14 DELTA	14W	BK/PKW	3K/4K/6K	1000LM	80	40

UNISER

COB Series

POWERED BY CREE





Model	Power	CCT	PF	Body Colour
UHLS-09 CD COB-02 CREE	9w	3K/4K/6K	>0.9	BK/WH
UHLS-14 CD COB-02 CREE	14W	3K/4K/6K	>0.9	BK/WH

UNISER

COB Series

POWERED BY CREE 




Model	Power	CCT	PF	Body Colour
UHLS-09 CD COB-03 CREE	9w	3K/4K/6K	>0.9	BK/WH
UHLS-14 CD COB-03 CREE	14W	3K/4K/6K	>0.9	BK/WH


UNISER

Recessed Series

POWERED BY CREE



UHLS-09 CD COB-07



UHLS-14 CD COB-07

Model	Wattage	CCT	PF	Degree	Body Colour
UHLS-09 CD COB-07	9W	3K/4K/6K	>0.9	60°	BK/PKW
UHLS-14 CD COB-07	14W	3K/4K/6K	>0.9	60°	BK/PKW

Recessed Series

UNISER

POWERED BY **CREE**  | DRIVEN BY **DONE**





Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-14 CDCOB-222	14W	3K/4K/6K	40°	BK/PKW
UHLS-21 CDCOB-222	21W	3K/4K/6K	40°	BK/PKW

UNISER

Recessed
Series

POWERED BY CREE



7W | 35mm




14W | 55mm

Model	Power	CCT	PF	Body Colour
UHLS-07-888 CD COB	7W	3K/4K/6K	>0.9	ROSE GOLD
UHLS-14-888-CD COB	14W	3K/4K/6K	>0.9	ROSE GOLD

UNISER

POWERED BY CREE

Recessed Series




Also available with
HONEY COMB FILTER

Model	Power	CCT	PF	Body Colour
UHLS-07CDCOB-474	07W	WW, DW, CW	> 0.9	WHITE + GRAY
UHLS-14CDCOB-474	14W	WW, DW, CW	> 0.9	WHITE + GRAY
UHLS-21CDCOB-474	21W	WW, DW, CW	> 0.9	WHITE + GRAY

UNISER

Recessed Series

POWERED BY BRIDGELUX



4W

9W

14W

24W


35W

Model	Wattage	CCT	PF	Beam Angle	CRI	Body Color	Material
UHLS-04 CD COB	4W	3K/4K/6K	>0.9	40°	80	BK/WH	ALUMINIUM
UHLS-09 CD COB	9W	3K/4K/6K	>0.9	40°	80	BK/WH	ALUMINIUM
UHLS-14 CD COB	14W	3K/4K/6K	>0.9	40°	80	BK/WH	ALUMINIUM
UHLS-24 CD COB	24W	3K/4K/6K	>0.9	40°	80	BK/WH	ALUMINIUM
UHLS-35 CD COB	35W	3K/4K/6K	>0.9	40°	80	BK/WH	ALUMINIUM


UNISER

Recessed
Series


POWERED BY CREE



7W | 35mm



14W | 55mm




21W | 70mm

Model	Power	CCT	PF	Body Colour
UHLS-07-666 CD COB	7W	3K/4K/6K	>0.9	WH
UHLS-14-666 CD COB	14W	3K/4K/6K	>0.9	WH
UHLS-21-666 CD COB	21W	3K/4K/6K	>0.9	WH


UNISER

Recessed
Series


POWERED BY CREE



7W | 35mm



14W | 55mm




21W | 70mm

Model	Power	CCT	PF
UHLS-07-999 CD COB	7W	3K/4K/6K	>0.9
UHLS-14-999 CD COB	14W	3K/4K/6K	>0.9
UHLS-21-999 CD COB	21W	3K/4K/6K	>0.9


UNISER

Recessed
Series


POWERED BY CREE



7W | 35mm



14W | 55mm




21W | 70mm

Model	Power	CCT	PF	Body Colour
UHLS-07-333 CD COB	7W	3K/4K/6K	>0.9	BLACK
UHLS-14-333 CD COB	14W	3K/4K/6K	>0.9	BLACK
UHLS-21-333 CD COB	21W	3K/4K/6K	>0.9	BLACK

UNISER


Downlight Series



Model	Power	CCT	PF	Body Colour
US-DL-06-COB-CURVE	06W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-12-COB-CURVE	12W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-18-COB-CURVE	18W	WW, DW, CW	> 0.9	WHITE, BLACK

UNISER

Downlight Series



Model	Power	CCT	PF	Body Colour
US-DL-06-COB-VALUE	06W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-12-COB-VALUE	12W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-18-COB-VALUE	18W	WW, DW, CW	> 0.9	WHITE, BLACK

UNISER

POWERED BY BRIDGELUX


COB Series





Model	Power	PF	CCT	Beam Angle	Cut Size	Body Size
UHLS-09 DEEP COB	9 WATTS	>0.9	3K/4K/6K	40°	75mm	81mm(h) 83mm(dia)
UHLS-18 DEEP COB	16 WATTS	>0.9	3K/4K/6K	40°	90mm	105mm(h) 100mm(dia)
UHLS-24 DEEP COB	24 WATTS	>0.9	3K/4K/6K	40°	115mm	116mm(h) 130mm(dia)
UHLS-35 DEEP COB	35 WATTS	>0.9	3K/4K/6K	40°	145mm	125mm(h) 160mm(dia)

UNISER




Downlight Series




06W



09W




12W




Model	Power	CCT	PF	Body Colour
US-DL-06-COB-STANDARD	06W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-09-COB-STANDARD	09W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-12-COB-STANDARD	12W	WW, DW, CW	> 0.9	WHITE, BLACK

UNISER


Downlight Series




16W



24W



30W



Model	Power	CCT	PF	Body Colour
US-DL-16-COB-STANDARD	16W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-24-COB-STANDARD	24W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-30-COB-STANDARD	30W	WW, DW, CW	> 0.9	WHITE, BLACK


Recessed Series

UNISER

POWERED BY **CREE** ⇄



Φ63mm



70mm


CUT-OUT: Φ60mm

Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-07-8407 CDCOB	7W	-3000K/4000K 6000K	BK/PKW	-36°

Recessed Series

UNISER

POWERED BY **CREE** ⇄




Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-14-7407 CDCOB	14W	-3000K/4000K 6000K	BK/PKW	-36°

Recessed Series

UNISER

POWERED BY **CREE** ⇄




CUT-OUT: 105*50mm

Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-14-8407 CDCOB	14W	-3000K/4000K 6000K	BK/PKW	-36°

Recessed Series

UNISER

POWERED BY CREE




Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-21-8407 CDCOB	-21W	-3000K/4000K/ 6000K	BK/PKW	-36°

Recessed Series

UNISER

POWERED BY CREE



Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-28-8407 CDCOB	-28W	-3000K/4000K/ 6000K	BK/PKW	-36°

UNISER

Wall Washer

POWERED BY CREE 



Model	Power	CCT	Body Colour
UHLS-15W PNRWW	15W	3K/4K/6K	BK PKW

UNISER

Recessed Series

POWERED BY **CREE** 

DRIVEN BY  **EAGLERISE**




Model	Wattage	CCT	Body Colour	Degree	CRI	Size
UHLS-14CDCOB-4111	14W	3K/4K/6K	BK/PKW	45°	80	OUTER : 87X87MM H : 61MM CUTOUT : 73X73MM
UHLS-28CDCOB-4111	28W	3K/4K/6K	BK/PKW	45°	80	OUTER : 156X87MM H : 67MM CUTOUT : 140X70MM

UNISER

Recessed Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE




Model	Wattage	CCT	CRI	Beam Angle	Lumens	Body Colour
UHLS-07-110411	7W	3000K/4000K	90	-38°	220 LM	ROSEGOLD / BLACK

UNISER

POWERED BY CREE

Recessed Series



Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-14CDCOB 3514	14W	3K/4K/6K	BK/PKW	-38°

COB Series

UNISER

POWERED BY CREE 



Model

Power

CCT

PF

UHLS-14 786 Zoom

14W

3K/4K/6K

>0.9

COB Series

UNISER

POWERED BY CREE

DRIVEN BY EAGLE RISE



Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-14-786 ZOOM SQ	14W	3K/4K/6K	38°	PKW/BK

UNISER

COB Series



Model	Power	CCT	Body Colour
UHLS-14 Zoom	14W	3K/4K/6K	PkW/BK
UHLS-21 Zoom	21W	3K/4K/6K	PkW/BK
UHLS-42 Zoom	42W	3K/4K/6K	PkW/BK

COB Series

UNISER

POWERED BY **CREE** ⇄

DRIVEN BY **EAGLE RISE**



Model	Power	CCT	Beam Angle
UHLS-35 ZOOM C + E	35W	3K/4K/6K	38°

UNISER

Track Series




Model	Power	CCT	Body Colour
UHLS-56 Rext Zoom	56W	3K/4K/6K	PKW/BK

Recessed Series

UNISER

POWERED BY CREE 




Dimensions : (L x B) 98 mm x 98 mm
Cutout : 90mm
Depth : 90mm

Model	Wattage	CCT	Body Colour
UHLS-12-0409 CD COB 12W		3K/4K/6K	BK/PKW

Recessed Series

UNISER

POWERED BY CREE



Dimensions : (L x B x D) 180 mm x 100 mm x 100 mm
Cutout : 160 mm x 90 mm


Model	Wattage	CCT	Degree	Body Colour
UHLS-24-0409 CD COB	24W	3K/4K	38°	BK/PKW

UNISER

COB Series

POWERED BY CREE

DRIVEN BY EAGLE RISE




Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-14-78699	14W	3K/4K/6K	38°	PKW/BK

UNISER

COB Series




POWERED BY CREE




Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-28-78699 ZOOM	28W	3K/4K/6K	38°	PKW/BK

UNISER

Gimble Series



30W (1X)




60W (2X)

Model	Power	CCT	PF	Body Colour
US-DL-1X-30	30W	WW, DW, CW	> 0.9	WHITE, BLACK
US-DL-2X-60	60W	WW, DW, CW	> 0.9	WHITE, BLACK

Recessed Series

UNISER

POWERED BY OSRAM




Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-06 MATRIX	6W	3K/4K/6K	38°	BK/WH

Recessed Series

UNISER

POWERED BY OSRAM



Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-12 MATRIX	12W	3K/4K/6K	38°	BK/WH

Recessed Series

UNISER

POWERED BY **OSRAM**




Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-24 MATRIX	24W	3K/4K/6K	38°	BK/WH

Recessed Series

UNISER

POWERED BY OSRAM




Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-18 MATRIX	18W	3K/4K/6K	38°	BK/WH

Recessed Series

UNISER

POWERED BY OSRAM



Model	Wattage	CCT	Beam Angle	Body Colour
UHLS-40 MATRIX	40W	3K/4K/6K	38°	BK/WH


UNISER

Recessed Light


POWERED BY CREE



8W



12W




20W

Model	Wattage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-8 PNR	8W	3K/4K/6K	45°	80	BK/PKW	ALUMINIUM
UHLS12 PNR	12W	3K/4K/6K	45°	80	BK/PKW	ALUMINIUM
UHLS-20PNR	20W	3K/4K/6K	45°	80	BK/PKW	ALUMINIUM



Recessed Series

UNISER



DRIVEN BY **DONE**



14W



21W



28W




Model	Wattage	Body Colour	CCT	Flux	CRI	Beam Angle
UHLS-14-0704 DOWNLIGHT	14W	RND/SQ	3K/4K/6K	960LM	70	120
UHLS-21-0704 DOWNLIGHT	21W	RND/SQ	3K/4K/6K	1440LM	70	120
UHLS-28-0704 DOWNLIGHT	28W	RND/SQ	3K/4K/6K	2160LM	70	120

UNISER

Downlight Series



08W




Cut Out \varnothing 125



12W




18W



Cut Out \varnothing 175




24W



Model	Power	CCT	PF	Body Colour
US-DL-08-RD	08W	WW, DW, CW	> 0.9	WHITE
US-DL-12-RD	12W	WW, DW, CW	> 0.9	WHITE
US-DL-18-RD	18W	WW, DW, CW	> 0.9	WHITE
US-DL-24-RD	24W	WW, DW, CW	> 0.9	WHITE

UNISER

Downlight Series



Model	Power	CCT	PF	Body Colour
US-DL-08-SQ	08W	WW, DW, CW	> 0.9	WHITE
US-DL-12-SQ	12W	WW, DW, CW	> 0.9	WHITE
US-DL-18-SQ	18W	WW, DW, CW	> 0.9	WHITE
US-DL-24-SQ	24W	WW, DW, CW	> 0.9	WHITE

UNISER




Model	Power	PF	CCT	Body Size
UHLS-2x2 PANEL	56 WATTS	>0.9	3K/4K/6K	600mm x 600mm

UNISER

Recessed Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE




Model	Wattage	CCT	CRI	Beam Angle	Lumens	Material
UHLS-07-110387	7W	3K/4K	90	38°	220LM	GYPSUM

UNISER

Recessed Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE



203x203mm


Model	Wattage	CCT	Beam Angle	CRI	Material
UHLS-07-110421D	7W	3K/4K	36°	90	GYPSUM

UNISER

Recessed Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE




Model	Wattage	CCT	Beam Angle	Lumens
UHLS-12-110216	12W	3000K/4000K	38°	710 LM

UNISER

Recessed Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE





Model	Wattage	CCT	Beam Angle	Lumens
UHLS-12-110217	12W	3000K/4000K	38°	710 LM

UNISER

COB Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLERISE





Model	Power	CCT	Body Colour
UHLS-12-244244	12W	3K/4K	BK/PKW

UNISER

COB Series

POWERED BY BRIDGELUX

DRIVEN BY EAGLE RISE



Model	Power	CCT
UHLS-56-218-786	56W	3K/4K

Recessed Series

UNISER

POWERED BY **CREE** 

DRIVEN BY **MW**
MEAN WELL



Model	Wattage	CCT	Lumens	CRI	Dimensions
UHLS-35 COL-744	35W(12X3W)	3K/4K	2400LM	80	DIA 350MM H 110MM
UHLS-63 COL-744	63W(24X3W)	3K/4K	4800LM	80	DIA 650MM H 110MM
UHLS-98 COL-744	98W(36X3W)	3K/4K	7200LM	80	DIA 950MM H 110MM



UNISER

INDUSTRIES PVT. LTD.

LED LIGHTING • SOLAR POWER • SMART AUTOMATION

To place your order, please contact

HELPDESK DETAILS :

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines, Mumbai 400020,
India

Tel: **022 22000515**

Mob: **+91 9867625686**

Email : projects@uniserledlights.com | support@uniserledlights.com

www.uniserledlights.com | www.unisersolar.com