

The background image shows a modern interior space. At the top, there is a recessed ceiling with a warm, yellowish glow from the lighting. Below the ceiling, there is a blue-tinted glass partition or wall. The walls are a light, neutral color. In the foreground, there is a wooden table with a dark tray on it. The overall aesthetic is clean and contemporary.

# UNISER

INDUSTRIES PVT. LTD.

## STRIP LIGHTS SERIES

PRODUCT OVERVIEW TECHNICAL DOCUMENT  
EDITION APRIL 2020

# UNISER

## Strip Series




Model	Wattage	Voltage	Led/ M	CRI	IP Rating	PCB Thickness	PCB Width	Adhesive Tape	Lumens	Color
UHLS-COB 384D	11W /M	24V	384/ M	80	IP44	30Z	8MM	3M	24/26 LMS PER LED	WW/ NW

PURE COPPER-PCB: LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
PURE COPPER-CHIP : LONG LIFE



# UNISER

## Strip Series




Model	Wattage	Voltage	Led/ M	CRI	IP Rating	PCB Thickness	PCB Width	Adhesive Tape	Lumens	Colour
UHLSCOB 576D CCT	21W /M	24V	576/ M	80	IP44	30Z	10MM	3M	24/26 LMS PER LED	2700K TO 6500K

PURE COPPER-PCB: LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
 PURE COPPER-CHIP : LONG LIFE

# UNISER

## Strip Series



Model	Wattage	Voltage	Led/ M	CRI	IP Rating	PCB Thickness	PCB Width	Adhesive Tape	Lumens	Color
UHLS-COB 400D	11W /M	24V	400/ M	80	IP44	30Z	5MM	3M	24/26 LMS PER LED	WW/ NW

PURE COPPER-PCB: LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
 PURE COPPER-CHIP : LONG LIFE

# UNISER

LED Strip



## COLOURS :

- WH
- WW
- NW
- Red
- Green
- Blue

## SPECIAL COLOURS :

- Amber
- Ice Blue
- Pink
- Purple
- Rose Red
- Lemon Yellow
- Orange
- 2700K

Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
2835/60	12V	6W/M	24-26 LM/LED	IP20 / IP65	10 MM	60



# UNISER

LED Strip



Model	Wattage	CCT	PCB	No. of LEDs / Mtr
UHLS-2835/60 LED S CUT	6W/M	10,000K (COOL WHITE) / WARM WHITE	8 MM	60

PURE COPPER-PCB : LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
PURE COPPER-CHIP : LONG LIFE

# UNISER

LED Strip



## COLOURS :

- WH
- WW
- NW
- Red
- Green
- Blue
- Amber

Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
2835/120 LED	12 V	12W/M	8-10 LM/LED	IP20 / IP65	8 MM	120
2835/120 LED	12 V	16W/M	24-26 LM/LED	IP20 / IP65	8 MM	120



# UNISER

LED Strip



**IP68**



Model	Voltage	Wattage	IP Rating	Lumens
5050/60	12V	14.4W/M	IP68	20-22LMS



# UNISER

LED Strip



COLOURS :

- WH
- WW
- NW
- Red
- Green
- Blue
- Amber

5 MM

Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
2835/168 LED	12 V	20 W/M	24-26 LM/LED	IP20	5 MM	168

# UNISER

LED Strip



## COLOURS :

- WH
- WW
- NW
- Red
- Green
- Blue

## SPECIAL COLOURS :

- Amber
- Ice Blue
- Pink
- Purple
- Rose Red
- Lemon Yellow
- Orange
- 2700K

Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
2835/168 LED	12 V	20 W/M	24-26 LM/LED	IP20 / IP65	10 MM	168
2835/168 LED	24 V	20 W/M	24-26 LM/LED	IP20 / IP65	10 MM	168

# UNISER

LED Strip

WITH GERMAN BREAKTHROUGH TECHNOLOGY



Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs
2835/168	12V	20W/M	24-26 LM/LED	IP20	10 MM	168



# UNISER

LED Strip



COLOURS :

- WH
- WW
- NW

Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
<b>2835/192 LED</b>	<b>12 V</b>	<b>22W/M</b>	<b>24/26 LM/LED</b>	<b>IP20 / IP65</b>	<b>10 MM</b>	<b>192</b>

# UNISER

LED Strip



## COLOURS :

WH

WW

NW

Red

Green

Blue

Amber



Model

Voltage

Wattage

Lumens

IP  
Rating

PCB  
Width

No. of  
LEDs

2835/2409  
LED

12 V

24 W/M

24-26 LM/LED

IP20 / IP65

10 MM

240

# UNISER

LED Strip



Model	Voltage	Wattage	CCT	IP Rating	PCB Width	Lumens
UHLS-2835/240	12V	24W/M	3K/4K	IP20	20MM	24-26 LUMENS/LED

PURE COPPER-PCB : LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
PURE COPPER-CHIP : LONG LIFE



# UNISER

LED Strip



Model	Voltage	Wattage	CCT	IP Rating	PCB	No. of LEDs / Mtr
UHLS-2110/700	24V	36W/M	3K/4K	IP20	20MM	700

PURE COPPER-PCB : LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
PURE COPPER-CHIP : LONG LIFE

# UNISER

## LED Strip



**30MM PCB**

Model	Voltage	Wattage	IP Rating	CCT	No. of LED
<b>2835/360</b>	<b>12V</b>	<b>48W/M</b>	<b>IP 20</b>	<b>3K/4K/6K</b>	<b>360</b>



# UNISER

LED Strip



COLOUR TEMPERATURE CHANGEABLE



Model	Voltage	Wattage	Lumens	IP Rating	PCB Width
2835/168 WH+WW	12 V	20W	24-26 LM/LED	IP20	10 MM



# UNISER

## Strip Series



6000K



3000K


Model	Voltage	Wattage	Lumens	CCT	No. of LEDs / Mtr
UHLS-2835/192 WH=WW	24V	22W/M	24-26 LUMENS	3000K - 6000K	192

# UNISER

LED Strip



100%



0%

Model	Voltage	Wattage	IP Rating	No. of LEDs / Mtr
5050/60 RGBWW	12V	18W/M	IP20	60



# UNISER


LED Strip



Model	Voltage	Wattage	Lumens	IP Rating	PCB Width	No. of LEDs / Mtr
5050/60 LED RGB	12 V	14.4W/M	12-14 LM/LED	IP20 / IP65	10 MM	60
5050/30 LED RGB	12 V	7.8W/M	12-14 LM/LED	IP20	10 MM	30

# UNISER

## LED Strip



Model	Voltage	Wattage	Lumens	Colour	PCB	No. of LEDs / Mtr
UHLS 5050/60 RGB-CCT	12 V	14.4W	18-20 LUMENS/LED	RGB+WH+ WW	10MM	60

**PURE COPPER PCB - LESS VOLTAGE DROP**

**- PI PCB - FIRE PROOF**

**PURE COPPER CHIP - LONG LIFE**



# UNISER


## Strip Series



Model	Voltage	Wattage	Colour	IP Rating	No. of LEDs / Mtr
3535/144 RGB	12V	20W/M	RGB	IP20/IP65	144

# UNISER

## Strip Series




Model	Wattage	Voltage	Led/ M	CRI	IP Rating	PCB Thickness	PCB Width	Adhesive Tape	Lumens	Color
HLL-5050-60 RGBWW	18W /M	12V	60/ M	80	IP20	30Z	10MM	3M	18/20 LMS PER LED	RGB PLUS WARM
HLL-5050-60 RGBWW	18W /M	24V	60/ M	80	IP20	30Z	10MM	3M	18/20 LMS PER LED	RGB PLUS WARM

PURE COPPER-PCB: LESS VOLTAGE DROP | PI-PCB : FIRE PROOF  
PURE COPPER-CHIP : LONG LIFE




# UNISER

LED Strip



COLOURS :

- WW
- Red
- Green
- Blue
- Pink
- Amber



Model	Voltage	Wattage	Cutting Mark	Dimensions
24V NEON FLEX	24V	12W/M	PER 6 LEDS	13MM x6MM

# UNISER

LED Strip



COLOURS :

- WH
- WW
- NW
- Red
- Green
- Blue
- Pink
- Yellow
- Ice Blue



Model	Voltage	Cutting Mark	Lumens	Length	No. of LEDs / Mtr
2835/60 SMD ROPE	220V	1M	24-26 LM/LED	50M/ROLL	60





# UNISER

## INDUSTRIES PVT. LTD.

LED LIGHTING • SOLAR POWER • SMART AUTOMATION

**To place your order, please contact**

### **HELPDESK DETAILS :**

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines, Mumbai 400020,  
India

Tel: **022 22000515**

Mob: **+91 9867625686**

Email : [projects@uniserledlights.com](mailto:projects@uniserledlights.com) | [support@uniserledlights.com](mailto:support@uniserledlights.com)

[www.uniserledlights.com](http://www.uniserledlights.com) | [www.unisersolar.com](http://www.unisersolar.com)