


UNISER
INDUSTRIES PVT. LTD.

MAGNETO & PIPE LINE SERIES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Outer Body Color : Matt Black

Product Name : Magneto Trimless Track

Voltage : 48V

Product Code : UHLS-RL20-EMBEDED-TRIMLESS-TRACK

Operating Temperature : -10°C to +60°C

Wattage: As per SMPS Driver


Material : Aluminium



TrackLength: 1M / 2M / 3M

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Outer Body Color : Black

Product Name : Magneto Concealed Track

Voltage : 48V

Product Code : UHLS-RL20-SP-CONCEALED-TRACK

Operating Temperature : -10°C to +60°C

Wattage : As per SMPS Driver


Material : Aluminium



Track Length: 1M / 2M / 3M

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Product Name : Magneto Surface / Suspended Track

Product Code : UHLS-RL20-SURFACE-MOUNTED-TRACK

Wattage: As per SMPS Driver

Outer Body Color : Matt Black

Voltage : 48V

Operating Temperature : -10°C to +60°C


Material : Aluminium


TrackLength: 1M / 2M / 3M

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Outer Body Color : Black

Product Name : Magneto Curve Trimless Track

Voltage : 48V

Product Code : UHLS-CD20-RD 600_900_1200

Operating Temperature : -10°C to +60°C

Wattage: As per SMPS Driver


Material : Aluminium


Diameter : 600mm / 900mm / 1200mm

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Outer Body Color : Black

Product Name : Magneto Curve Surface Track

Voltage : 48V

Product Code : UHLS-SF20-RD-600_900_1200

Operating Temperature : -10°C to +60°C

Wattage: As per SMPS Driver


Material : Aluminium


Diameter: 600mm / 900mm / 1200mm

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

Outer Body Color : Black

Product Name : Magneto Curve Suspended Track

Voltage : 48V

Product Code : UHLS-SFSP20-RD-600_900_1200

Operating Temperature : -10°C to +60°C

Wattage : As per SMPS Driver


Material : Aluminium


Diameter: 600mm / 900mm / 1200mm

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Track Light

THD : <15

Product Code : UHLS-RL20-09TR-MAGNETO

Operating Temperature : -10°C to +60°C

Wattage : 9W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Linear Light

THD : <15

Product Code : UHLS-RL20-09A-18B

Operating Temperature : -10°C to +60°C

Wattage : 9W / 18W / 27W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto iBlade WallWasher

THD : <15

Product Code : USHL-RL20-14C

Operating Temperature : -10°C to +60°C

Wattage : 14W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Meta WallWasher

THD : <15

Product Code : UHLS-RL20-14C-New

Operating Temperature : -10°C to +60°C

Wattage : 14W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Meta Light

THD : <15

Product Code : UHLS-RL20-14-21-D

Operating Temperature : -10°C to +60°C

Wattage : 14W / 21W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 36°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto iBlade

THD : <15

Product Code : UHLS-RL20-7A-14B

Operating Temperature : -10°C to +60°C

Wattage : 7W / 14W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 30°

Outer Body Color : Black


LED : CREE



Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Corner Linear

THD : <15

Product Code : UHLS-RL20-18C-MAGNETO

Operating Temperature : -10°C to +60°C

Wattage : 18W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Pendant Light

THD : <15

Product Code : UHLS-RL20-09HL-MAGNETO

Operating Temperature : -10°C to +60°C

Wattage : 9W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES






PRODUCT SPECIFICATIONS


Product Type : Magneto Series	CRI : 80
Product Name : Magneto Curve Track Light	THD : <15
Product Code : UHLS-RL20-09TR-RD	Operating Temperature : -10°C to +60°C
Wattage: 9W	Material : Aluminium
CCT : 3000K / 4000K / 6000K	Beam Angle : 38°
Outer Body Color : Black	LED : CREE
Voltage : 48V	

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Curve Linear Light

THD : <15

Product Code : UHLS-RL20-07-R-600

Operating Temperature : -10°C to +60°C

Wattage: 10W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Curve iBlade Light

THD : <15

Product Code : UHLS-RL20-09-600

Operating Temperature : -10°C to +60°C

Wattage: 9W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Curve iBlade Light

THD : <15

Product Code : UHLS-RL20-4A-ARC

Operating Temperature : -10°C to +60°C

Wattage: 5W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Pendant Ball Light

THD : <15

Product Code : UHLS-RL20-0944-RL

Operating Temperature : -10°C to +60°C

Wattage: 9W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Matt Brass / Rose Gold


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

CRI : 80

Product Name : Magneto Pendant V-Ball Light

THD : <15

Product Code : UHLS-RL20-0977-HL

Operating Temperature : -10°C to +60°C

Wattage: 9W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Matt Brass / Rose Gold


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Series

P.F : >0.9

Product Name : Meanwell Power Supply

THD : <15

Product Code : UHLS-RL-15-S75_100_150-48

Operating Temperature : -10°C to +60°C

Wattage : 75W / 100W / 150W

Material : Aluminium

Outer Body Color : Silver


IP Rating : IP20

Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES






UHLS-SF20 L Joint
(Ceiling)



UHLS-SF20 Wall Joint
(Ceiling to wall)



UHLS-CD20 L Joint
(Ceiling)



UHLS-CD20 Wall
Joint (Ceiling to wall)



UHLS-RL20
HANGING KIT



UHLS-CDSF LIVE
JOINTER B



UHLS-CDS
LIVE CONNECTOR




UHLS-RL20 CDSF
ENDCAP



TRACK CONNECTION
PLATE



TRACK SIDE
CONNECTION PLATE



PRODUCT SPECIFICATIONS

Product Type : Magneto Thin Series

Outer Body Color : Matt Black

Product Name : Magneto Thin Track Trimless

Voltage : 48V

Product Code : UHLS-CD-15

Operating Temperature : -10°C to +60°C

Wattage: As per SMPS Driver


Material : Aluminium


TrackLength: 1M / 2M / 3M

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Thin Series

Outer Body Color : Matt Black

Product Name : Magneto Thin Track Surface / Suspended

Voltage : 48V

Product Code : UHLS-SF-15

Operating Temperature : -10°C to +60°C

Wattage: As per SMPS Driver


Material : Aluminium


TrackLength: 1M / 2M / 3M

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Thin Series

CRI : 80

Product Name : Magneto Thin Meta iBlade Light

THD : <15

Product Code : UHLS-RL15-8A

Operating Temperature : -10°C to +60°C

Wattage: 14W / 21W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Thin Series

CRI : 80

Product Name : Magneto Thin Linear Light

THD: <15

Product Code : UHLS-RL15-10A

Operating Temperature : -10°C to +60°C

Wattage: 9W / 18W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE


Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Magneto Thin Series

CRI : 80

Product Name : Magneto Thin Wall Washer Light

THD : <15

Product Code : UHLS-RL15-11C

Operating Temperature : -10°C to +60°C

Wattage: 14W / 18W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black


LED : CREE

Voltage : 48V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





UHLS-RL15 SF L JOINT



UHLS-RL15 SF WALL JOINT



UHLS-RL15 CD L JOINT



UHLS-RL15 END CAP



UHLS-RL15 CD WALL JOINT



UHLS-RL 5 SP L JOINT



UHLS-RL15 SP WALL JOINT




UHLS-RL15 HANGING KIT



UHLS-RL15 LIVE END



UHLS-RL15 LIVE JOINER B



UHLS-RL15 I CONNECTION PLATE



UHLS-RL15 DUST COVER



UHLS-RL15-48V-100W InBuilt

UNISER

PIPELINE SERIES

PIPELINE SERIES

Elevate your lighting experience with the Pipeline Series, a cutting-edge magnetic track lighting system designed for versatility and elegance.

Key Features:

- Flexible Design: Bendable tracks for curved or straight applications
- Magnetic Attachment: Easy installation and adjustment on metal surfaces
- Dimmable: Seamless brightness control (0-100%)
- Color Temperature Options: Warm white (3000K), natural white (4000K)

Applications:

- Residential lighting (living rooms, kitchens, bedrooms)
- Commercial lighting (offices, retail spaces, restaurants)
- Industrial lighting (factories, warehouses, machinery)
- Display lighting (art galleries, museums, showrooms)

Benefits:


- Easy installation and maintenance
- Flexible design for creative lighting solutions
- Energy-efficient and long-lasting
- Dimmable for adjustable brightness

UNISER



UNISER

PIPELINE



Model	Size	Body Color	Material
UHLS-PL-ROD-500	480MMX17MM	BK	ALUMINIUM
UHLS-PL-ROD-1000	1000MMX17MM	BK	ALUMINIUM



UHLS-PL LIVE END A



UHLS-PL LIVE END B



UHLS-PL END CAP



UHLS-PL L JOINTER



UHLS-PL T JOINTER



UHLS-PL PLUS JOINTER





UHLS-PL CURVE JOINTER





UHLS-PL SUSPENSION KIT





UHLS-PL WALL CLAMP




Model	Size	Body Color	Material
UHLS-PL-BEND-1000	1000MMX17MM	BK	ALUMINIUM
UHLS-PL-BEND-1500	1500MMX17MM	BK	ALUMINIUM




Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-07-TR	07W	48V	3K/4K	36°	90	BK	ALUMINIUM




Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-04-TR	04W	48V	3K/4K	24°	90	BK	ALUMINIUM




Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-09-D	09W	48V	3K/4K	120°	90	BK	ALUMINIUM
UHLS-PL-27-D	27W	48V	3K/4K	120°	90	BK	ALUMINIUM



Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-14-L	14W	48V	3K/4K	25°	90	BK	ALUMINIUM
UHLS-PL-27-L	27W	48V	3K/4K	25°	90	BK	ALUMINIUM



Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-04-ARC	04W	48V	3K/4K	24°	90	BK	ALUMINIUM



Model	Wattage	Input Voltage	CCT	Beam Angle	CRI	Body Color	Material
UHLS-PL-07-PD	07W	48V	3K/4K	36°	90	BK	ALUMINIUM

THINK LED, THINK UNISER

UNISER

INDUSTRIES PVT. LTD.

Solar Power | LED Lighting | Automation

To place your order, please contact us

HELPDESK DETAILS:

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines,
Mumbai-400020, India

 +91-22-22000515 | 35114465  +91 9867625686

 sales@uniserledlights.com | www.uniserledlights.com