


# MODULAR, BLADE-R & META SERIES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Modular Downlight

**Inner Color :** Champagne / Gold / Bright Silver / Gun Black

**Product Name :** Modular Light

**CRI :** 80

**Product Code :** UHLS-7\_12\_18-1047

**THD :** <15

**Wattage :** 07W / 12W / 18W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000k

**Material :** Aluminium


**Outer Body Color :** White / Black

**Beam Angle :** 120°


**Input Voltage :** 185-265V



**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Modular Downlight

**Inner Color :** Champagne / Gold / Bright Silver / Gun Black

**Product Name :** Modular Square Light

**CRI :** 80

**Product Code :** UHLS-12-1048

**THD :** <15

**Wattage :** 12W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 120°


**Input Voltage :** 185-265V


**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Modular Downlight

**Inner Color :** Champagne / Gold / Bright Silver / Gun Black

**Product Name :** Modular Twin Light

**CRI :** 80

**Product Code :** UHLS-24-1048

**THD :** <15

**Wattage :** 24W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000k

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 120°


**Input Voltage :** 185-265V




**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Mini Modular Downlight

**Inner Color :** Black

**Product Name :** Mini Modular Light A

**CRI :** 80

**Product Code :** UHLS-10-044-A

**THD :** <15

**Wattage :** 10W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000k

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Mini Modular Downlight

**Inner Color :** Black

**Product Name :** Mini Modular Light B

**CRI :** 80

**Product Code :** UHLS-10-044-B

**THD :** <15

**Wattage :** 10W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Mini Modular Downlight

**Inner Color :** Black

**Product Name :** Mini Modular Light C

**CRI :** 80

**Product Code :** UHLS-10-044-C

**THD :** <15

**Wattage :** 10W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000k

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Mini Modular Downlight

**Inner Color :** Black

**Product Name :** Mini Modular Light D

**CRI :** 80

**Product Code :** UHLS-10-044-D

**THD :** <15

**Wattage :** 10W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000k

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°


**Input Voltage :** 185-265V

**LED :** CREE


### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES







### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R DownLight

**Inner Color :** Black / White

**Product Name :** Blade-R Light A

**CRI :** 80

**Product Code :** UHLS-09\_16\_21\_32-A-BLADE

**THD :** <15

**Wattage :** 9W / 16W / 21W / 32W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** Black / White

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** Osram

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R DownLight

**Inner Color :** Black

**Product Name :** Blade-R Light D

**CRI :** 90

**Product Code :** UHLS-07\_14\_21-D-BLADE

**THD :** <15

**Wattage :** 7W / 14W / 21W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** Black / White

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** Osram

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R DownLight

**Inner Color :** Black

**Product Name :** Blade-R Light B

**CRI :** 90

**Product Code :** UHLS-09\_16\_21-B-BLADE

**THD :** <15

**Wattage :** 9W / 16W / 21W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** Black / White

**Beam Angle :** 38°


**Input Voltage :** 185-265V


**LED :** Osram

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R DownLight

**Inner Color :** Black / White

**Product Name :** Blade-R Track Light

**CRI :** 90

**Product Code :** UHLS-04\_07\_14-TR-BLADE

**THD :** <15

**Wattage :** 4W / 7W / 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** Black / White

**Beam Angle :** 20/50°


**Input Voltage :** 185-265V


**LED :** Osram

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R DownLight

**Inner Color :** Black / White

**Product Name :** Blade-R Light C

**CRI :** 90

**Product Code :** UHLS-04\_07\_14-C-BLADE

**THD :** <15

**Wattage :** 4W / 7W / 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** Black / White

**Beam Angle :** 36°


**Input Voltage :** 185-265V

**LED :** Osram

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Blade-R Downlight

**Inner Color :** White

**Product Name :** Blade-R Cover-A\_B\_C

**CRI :** -

**Product Code :** UHLS-Cover-Blade-A\_B\_C

**THD :** -

**Wattage :** -

**Operating Temperature :** -

**CCT :** -

**Material :** Aluminium

**Outer Body Color :** White

**Beam Angle :** -


**Input Voltage :** -


**LED :** -

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Single

**CRI :** 80

**Product Code :** UHLS-04-CD-Meta

**THD :** <15

**Wattage :** 04W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE


**Lumens :** 440LM

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Downlight

**CRI :** 80

**Product Code :** UHLS-14-CD-META

**THD :** <15

**Wattage :** 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE

**Lumens :** 1540LM


### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES







### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Downlight

**CRI :** 80

**Product Code :** UHLS-14-MV-Meta

**THD :** <15

**Wattage :** 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE



**Lumens :** 1540LM

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Product Name :** Meta Moveable

**Product Code :** UHLS-28-CD-Meta

**Wattage :** 28W

**CCT :** 3000K / 4000K / 6000K

**Outer Body Color :** White / Black

**Input Voltage :** 185-265V

**Lumens :** 3080LM

**Inner Color :** White / Black

**CRI :** 80

**THD :** <15

**Operating Temperature :** -10°C to +60°C

**Material :** Aluminium


**Beam Angle :** 38°



**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Moveable

**CRI :** 80

**Product Code :** UHLS-28-MV-Meta

**THD :** <15

**Wattage :** 28W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE


**Lumens :** 3080LM

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Downlight Trimless

**CRI :** 80

**Product Code :** UHLS-14-TRM-Meta

**THD :** <15

**Wattage :** 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE


**Lumens :** 1540LM

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Product Name :** Meta Downlight Trimless

**Product Code :** UHLS-28-TRM-Meta

**Wattage :** 28W

**CCT :** 3000K / 4000K / 6000K

**Outer Body Color :** White / Black

**Input Voltage :** 185-265V

**Lumens :** 3080LM

**Inner Color :** White / Black

**CRI :** 80

**THD :** <15

**Operating Temperature :** -10°C to +60°C

**Material :** Aluminium


**Beam Angle :** 38°


**LED :** CREE

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES





### PRODUCT SPECIFICATIONS

**Product Type :** Concealed Meta Downlight

**Inner Color :** White / Black

**Product Name :** Meta Surface Light

**CRI :** 80

**Product Code :** UHLS-14-SF-Meta

**THD :** <15

**Wattage :** 14W

**Operating Temperature :** -10°C to +60°C

**CCT :** 3000K / 4000K / 6000K

**Material :** Aluminium

**Outer Body Color :** White / Black

**Beam Angle :** 38°

**Input Voltage :** 185-265V


**LED :** CREE

**Lumens :** 1540LM

### DRIVER OPTIONS



### SPECIAL ADDITIONAL FEATURES



THINK LED, THINK UNISER

# UNISER

INDUSTRIES PVT. LTD.

Solar Power | LED Lighting | Automation

To place your order, please contact us

## HELPDESK DETAILS:

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines,  
Mumbai-400020, India

☎ +91-22-22000515 | 35114465 ☎ +91 9867625686

✉ [sales@uniserledlights.com](mailto:sales@uniserledlights.com) | [www.uniserledlights.com](http://www.uniserledlights.com)