


ATOM, MODULAR, BLADE-R & META SERIES





PRODUCT SPECIFICATIONS

Product Type : Concealed Modular Downlight

Product Name : Modular Light

Product Code : UHLS-7_12_18-1047

Wattage : 07W / 12W / 18W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Inner Color : Champagne / Gold / Bright Silver / Gun Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 120°



LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Modular Downlight

Product Name : Modular Square Light

Product Code : UHLS-12-1048

Wattage : 12W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Inner Color : Champagne / Gold / Bright Silver / Gun Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 120°


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Modular Downlight

Product Name : Modular Twin Light

Product Code : UHLS-24-1048

Wattage : 24W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Inner Color : Champagne / Gold / Bright Silver / Gun Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 120°



LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Mini Modular Downlight

Inner Color : Black

Product Name : Mini Modular Light A

CRI : 80

Product Code : UHLS-10-044-A

THD : <15

Wattage : 10W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°


Input Voltage : 185-265V



LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Mini Modular Downlight

Inner Color : Black

Product Name : Mini Modular Light B

CRI : 80

Product Code : UHLS-10-044-B

THD : <15

Wattage : 10W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°


Input Voltage : 185-265V


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Mini Modular Downlight

Inner Color : Black

Product Name : Mini Modular Light C

CRI : 80

Product Code : UHLS-10-044-C

THD : <15

Wattage : 10W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°


Input Voltage : 185-265V


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Mini Modular Downlight

Inner Color : Black

Product Name : Mini Modular Light D

CRI : 80

Product Code : UHLS-10-044-D

THD : <15

Wattage : 10W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°


Input Voltage : 185-265V


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R DownLight

Inner Color : Black

Product Name : Blade-R Light D

CRI : 90

Product Code : UHLS-07_14_21-D-BLADE

THD : <15

Wattage : 7W / 14W / 21W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : Black / White

Beam Angle : 38°


Input Voltage : 185-265V



LED : Osram

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Recessed Downlights

Product Name : Mini Concealed Downlight

Product Code : UHLS-09- 14-18-ATOM

Wattage : 09W / 14W / 18W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 990 / 1540 / 1980lm

Inner Body Color : White / Black

CRI : >80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 24/38°


LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Atom Downlight

Product Name : Trimless Atom Downlight

Product Code : UHLS-09- 14-18-TRM-ATOM

Wattage : 09W / 14W / 18W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 990 / 1540 / 1980lm

Inner Body Color : White / Black

CRI : >80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 24/38°


LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R DownLight

Inner Color : Black / White

Product Name : Blade-R Light A

CRI : 80

Product Code : UHLS-09_16_21_32-A-BLADE

THD : <15

Wattage : 9W / 16W / 21W / 32W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : Black / White

Beam Angle : 38°


Input Voltage : 185-265V



LED : Osram

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R DownLight

Inner Color : Black

Product Name : Blade-R Light B

CRI : 90

Product Code : UHLS-09_16_21-B-BLADE

THD : <15

Wattage : 9W / 16W / 21W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : Black / White

Beam Angle : 38°


Input Voltage : 185-265V



LED : Osram

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R DownLight

Inner Color : Black / White

Product Name : Blade-R Track Light

CRI : 90

Product Code : UHLS-04_07_14-TR-BLADE

THD : <15

Wattage : 4W / 7W / 14W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : Black / White

Beam Angle : 20/50°


Input Voltage : 185-265V


LED : Osram

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R DownLight

Inner Color : Black / White

Product Name : Blade-R Light C

CRI : 90

Product Code : UHLS-04_07_14-C-BLADE

THD : <15

Wattage : 4W / 7W / 14W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : Black / White

Beam Angle : 36°


Input Voltage : 185-265V


LED : Osram

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Blade-R Downlight

Inner Color : White

Product Name : Blade-R Cover-A_B_C

CRI : -

Product Code : UHLS-Cover-Blade-A_B_C

THD : -

Wattage : -

Operating Temperature : -

CCT : -

Material : Aluminium

Outer Body Color : White

Beam Angle : -

Input Voltage : -

LED : -

DRIVER OPTIONS



RF



Analog



0-10V



Zigbee



Triac



DALI

SPECIAL ADDITIONAL FEATURES



Control by
Remote, Keypad, APP




Voice Assistance



Scene Control by
Remote, Keypad, APP



CCT Tunable



PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Product Name : Meta Single

Product Code : UHLS-04-CD-Meta

Wattage : 04W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 440LM

Inner Color : White / Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Inner Color : White / Black

Product Name : Meta Downlight

CRI : 80

Product Code : UHLS-14-CD-META

THD : <15

Wattage : 14W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°

Input Voltage : 185-265V


LED : CREE


Lumens : 1540LM

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Inner Color : White / Black

Product Name : Meta Downlight

CRI : 80

Product Code : UHLS-14-MV-Meta

THD : <15

Wattage : 14W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°

Input Voltage : 185-265V


LED : CREE



Lumens : 1540LM

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Product Name : Meta Moveable

Product Code : UHLS-28-CD-Meta

Wattage : 28W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 3080LM

Inner Color : White / Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°




LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Product Name : Meta Moveable

Product Code : UHLS-28-MV-Meta

Wattage : 28W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 3080LM

Inner Color : White / Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°



LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Product Name : Meta Downlight Trimless

Product Code : UHLS-14-TRM-Meta

Wattage : 14W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 1540LM

Inner Color : White / Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°



LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Product Name : Meta Downlight Trimless

Product Code : UHLS-28-TRM-Meta

Wattage : 28W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black

Input Voltage : 185-265V

Lumens : 3080LM

Inner Color : White / Black

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°


LED : CREE

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Concealed Meta Downlight

Inner Color : White / Black

Product Name : Meta Surface Light

CRI : 80

Product Code : UHLS-14-SF-Meta

THD : <15

Wattage : 14W

Operating Temperature : -10°C to +60°C

CCT : 3000K / 4000K / 6000K

Material : Aluminium

Outer Body Color : White / Black

Beam Angle : 38°

Input Voltage : 185-265V


LED : CREE

Lumens : 1540LM

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES



THINK LED, THINK UNISER

UNISER

INDUSTRIES PVT. LTD.

Solar Power | LED Lighting | Automation

To place your order, please contact us

HELPDESK DETAILS:

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines,
Mumbai-400020, India

☎ +91-22-22000515 | 35114465 ☎ +91 9867625686

✉ sales@uniserledlights.com | www.uniserledlights.com